NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402 (X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY ID PROVIDER'S PLAN OF CORRECTION (EACH (X5)		OF DEFICIENCIES AND RECTION (POC)	(XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER			PLE CONSTRUCTION:	COMPLETED:	
CX4) ID PREPIX TAG	NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK			4001 FORD R	CITY, STATE, Z	IP CODE:		
Based on a Medicare/Medicaid Recertification Survey, Civil Rights Compliance Survey, State Licensure Survey, completed on June 2, 2023, it was determined that Monumental Post Acute Care at Woodside Park, was not in compliance with the requirements of 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities and the 28 PA Code, Commonwealth of Pennsylvania Long Term Care Licensure Regulations related to the health portion of the survey process. F 0550	(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DE PREFIX MUST BE PRECEEDED BY FULL REGULATORY O					CORRECTIVE ACTION SH	OULD BE	COMPLETE
SS=D		Based on a Medicare/N Survey, Civil Rights C Licensure Survey, com was determined that M at Woodside Park, was requirements of 42 CF Requirements for Long 28 PA Code, Common Term Care Licensure F	ompliance Survey, Sapleted on June 2, 20 conumental Post Acus not in compliance vR Part 483, Subpart g Term Care Facilities wealth of Pennsylva Regulations related to	State 023, it ite Care with the B, es and the inia Long				
	SS=D							

Any deficiency statement ending with an asterisk (*) denotes a deficiency which may be excused from correction providing it is determined that other safeguards provide sufficient protection to the patients. The findings stated above are disclosable whether or not a plan of correction is provided. The findings are disclosable within 14 days after such information is made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

This form is a printed electronic version of the CMS 2567L. It contains all the information found on the standard document in much the same form. This electronic form once printed and signed by the facility administrator and appropriately posted will satisfy the CMS requirement to post survey information found on the CMS 2567L.

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 1 of 33

	ATEMENT OF DEFICIENCIES AND (XI) PROVIDER/SUPPLIER/C AN OF CORRECTION (POC) IDENTIFICATION NUMBER		R:		PLE CONSTRUCTION:	(X3) DATE SURVEY COMPLETED:	
		396076	A. BLDG:00 B. WING: 06/02/2023				
MONUME WOODSID	VIDER OR SUPPLIER: NTAL POST ACUTE CAR DE PARK 15E NUMBER: 041402	RE AT	STREET ADDRESS, 4001 FORD R PHILADELP	COAD			
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDE	OF DEFICIENCIES (EACH DE ED BY FULL REGULATORY O FYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SHE CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0550	Continued from page 1			F 0550			
SS=D	483.10(a)(1)(2)(b)(1)(2) Re §483.10(a) Resident Rights. The resident has a right to a self-determination, and compersons and services inside including those specified in §483.10(a)(1) A facility murespect and dignity and care and in an environment that penhancement of his or her quesident's individuality. The promote the rights of the resident's individuality. The promote the rights of the resident's individuality and care and in an environment that penhancement of his or her quesident's individuality. The promote the rights of the resident's individuality. The promote the rights of the residentical policies and practicular discharge, and the provision plan for all residents regards §483.10(b) Exercise of Right The resident has the right to resident of the facility and a United States.	dignified existence, amunication with and act and outside the facility, this section. In the for each resident in a magnetic promotes maintenance of the facility must protect an exident. In the formula of the facility must protect an exident. In the facility, this section.	th hanner or ag each d sto dition, intain tate		The Mealtime enrichment pobeen updated. Unit managers or designee we ensure that all residents seate tables will be served togethe timely fashion to ensure that resident is sitting without for others eat. Tables will be ser at a time. Staff developer or designee win-service staff on mealtime. A mealtime audit will be condaily for 2 weeks to ensure protocol is being followed. Results will be reported in mealtime.	vill ed at er in a eno od while eved one will dignity. inducted proper	Completion Date: 07/07/2023 Status: APPROVED Date: 06/23/2023
	exercise his or her rights wi discrimination, or reprisal fi	thout interference, coerc					

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 2 of 33

	TEMENT OF DEFICIENCIES AND (XI) PROVIDER/SUPPLIER/CI N OF CORRECTION (POC) IDENTIFICATION NUMBER:			IA (X2) MULTIPLE CONSTRUCTION: A. BLDG:00		(X3) DATE SURVEY COMPLETED:	
		396076	B. WING: 06/02/2023				
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS, 4001 FORD RO PHILADELPI	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH D				ID DEFENDED TAKE	PROVIDER'S PLAN OF CORRECT	,	(X5)
PREFIX TAG		FYING INFORMATION)	R LSC	PREFIX TAG	CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE A		COMPLETE DATE
F 0550	Continued from page 2			F 0550			
SS=D							
	§483.10(b)(2) The resident l						
	interference, coercion, discr facility in exercising his or l						
	by the facility in the exercisunder this subpart.	required					
	This REQUIREMENT is not met as evidenced by:						

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 3 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER:				PLE CONSTRUCTION:	(X3) DATE SURVI COMPLETED:	ΞY	
	396076 A. BLDG:00 06/02/20		06/02/2023				
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS, 4001 FORD RO PHILADELPH	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DI PREFIX MUST BE PRECEEDED BY FULL REGULATORY CONTROL TAG IDENTIFYING INFORMATION)				ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SH CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0550	Continued from page 3						
SS=D				F 0550			

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 4 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER:				PLE CONSTRUCTION:	(X3) DATE SURVE COMPLETED:	EΥ	
	396076			B. WING: _		06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID PREFIX TAG	(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DE PREFIX MUST BE PRECEEDED BY FULL REGULATORY O			ID PREFIX TAG	PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SH CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0550	Continued from page 4			F 0550			
SS=D	Follow-up observation dining room on May 3 revealed the following: A table with 3 resident their meal while one reserved a meal. Further residents' tray arrived a Further observations reresidents seated at each residents was served a resident meal trays at 1 Follow-up observation dining room on June 1, revealed the following: Two tables with two reconly one of two resider Further observations reserved a meal at 12:18	s; two residents ate desident was still wait observations revealed at 12:16 p.m. eveled two tables with table, only one of the meal. Observations 2:18 p.m. s of the Second-Flood, 2023, at 12:07 p.m. essidents seated at each the was served a mean evealed the residents.	n. 50% of ing to be ed the th two wo revealed or East				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 5 of 33

STATEMENT OF DEFICIENCIES AND (XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER:			(X2) MULTIPLE CONSTRUCTION: A. BLDG: 00		(X3) DATE SURVEY COMPLETED:		
		396076		B. WING: 06/02/2023			
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS, 4001 FORD RO PHILADELPI	OAD			
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDE	OF DEFICIENCIES (EACH DE D BY FULL REGULATORY OF FYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0550	Continued from page 5			F 0550			
SS=D	Interview with the second Employee E15, On Junconfirmed the above-med 28 Pa. Code 201.29(d)	e 1, 2023, at 12:18 pentioned findings.	-				
F 0689				F 0689			
SS=D							

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 6 of 33

	OF DEFICIENCIES AND RECTION (POC)			EY			
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS 4001 FORD R PHILADELP	ROAD			
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDI	OF DEFICIENCIES (EACH DE ED BY FULL REGULATORY O FYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE		(X5) COMPLETE DATE
F 0689 SS=D	Continued from page 6 483.25(d)(1)(2) Free of Acc Hazards/Supervision/Devic §483.25(d) Accidents. The facility must ensure tha §483.25(d)(1) The resident accident hazards as is possil §483.25(d)(2)Each resident and assistance devices to pr This REQUIREMENT is no	es it - environment remains as ble; and receives adequate super event accidents.		F 0689	An incident report has been completed for R72. E20 has been disciplined and reeducated on proper protocopersons assist. All residents tasks were reviand updated to reflect the appropriate level of care required residents to ensure the level in-service certified nursing assistants on the importance checking the medical record residents to ensure the level required PRIOR to starting the importance of following protocols as ordered. Staff developer or designeer conduct random spot pot cheweekly times 3 weeks to ensure following correct protocorelates to the level of assistance are following correct protocorelates to the level of assistance are following correct protocorelates. Results of random checks weekly times o	ewed uired. will of for all of care eare, and all will ecks ture staff of as it nce ndividual	Completion Date: 07/07/2023 Status: APPROVED Date: 06/23/2023

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 7 of 33

PRINTED: 7/19/2023 FORM APPROVED 2567-L

DEPARTMENT OF HEALTH AND HUMAN SERVICES HEALTH CARE FINANCING ADMINISTRATION

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)		(XI) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION: A. BLDG:00		(X3) DATE SURVEY COMPLETED:	
		396076				06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK			STREET ADDRESS, 4001 FORD RO PHILADELPH	OAD			
STATE LICENSE NUMBER: 041402 (X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DE PREFIX MUST BE PRECEEDED BY FULL REGULATORY O IDENTIFYING INFORMATION)				ID PREFIX TAG	PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0689 SS=D	Continued from page 7			F 0689	reported in monthly QAPI		

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 8 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/OF IDENTIFICATION NUMBER			(X2) MULTI	PLE CONSTRUCTION:	(X3) DATE SURVE COMPLETED:	EY	
		396076			00	06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DI PREFIX MUST BE PRECEEDED BY FULL REGULATORY OF TAG IDENTIFYING INFORMATION)				ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SHE CROSS-REFERENCED TO THE A	IOULD BE	(X5) COMPLETE DATE
F 0689	Continued from page 8			F 0689			
SS=D	Review of the review of with the staff and obse that the facility failed to required staff assistance (ADL) received adequate care which resulted in care for one of 30 residence. Review of care plan for November 11, 2020, received 2-person assistance incontinence care, to like transfers with Hoyer like. Review of nursing assistance for turning, moving up in bed and to During an observation.	rvations, it was determined to ensure that a residulate for activities of data at estaff assistance direction and the residuning a dents reviewed. (Residunts reviewed.) (Residunts reviewed at the residuance for turning, eting, moving up in left. Stance task instruction and the required 2-personal incontinence care, to transfers with Hoyer transfers with Hoyer transfers with the residuance of the required 2-personal incontinence care, to the required 2-personal incontinence care, the re	rmined ent who ily living uring fall during ident d lent bed and ons n bileting, lift.				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 9 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER.			(X2) MULTI A. BLDG: _	PLE CONSTRUCTION:	(X3) DATE SURVE COMPLETED:	EY	
		396076			<u></u>	06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DI PREFIX MUST BE PRECEEDED BY FULL REGULATORY OF TAG IDENTIFYING INFORMATION)				ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SH CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0689 SS=D	Continued from page 9 May 31, 2023, at 1:56 heard from Resident R closed, and the surveyed door. When the door wobserved laying on the nursing assistant was oresident. Interview with Employ May 31, 2023, at 2:04 getting washed up. Emhad a bowel movement Interview with Employ May 31, 2023, at 2:04 resident to the side to prinside the toilet to get I returned resident move floor. Resident slid threfloor. He landed on the stated he was aware the 2-person assistance for incontinence care but the	79's room. The door or was standing next was opened, the reside floor and Employee observed standing new wee E21, Licensed Name p.m., stated the reside ployee E21 stated rest. The E20, Nursing Associated the draw sheet as passin and water. When and started sliding ough employees' legger floor mats. Employees the resident requires bed mobility and	was to the ent was E20, ext to the urse, on dent was esident sistant, on d the end went en he g to the to the tee E21 ed	F 0689			
	incontinence care but t	nere was no other sta	ali				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 10 of 33

STATEMENT OF DEFICIENCIES AND (XI) PROVIDER/SUPPLIER/CI PLAN OF CORRECTION (POC) IDENTIFICATION NUMBER:			(X2) MULT	IPLE CONSTRUCTION:	(X3) DATE SURVE COMPLETED:	ΕY	
	396076				00	06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DI PREFIX MUST BE PRECEEDED BY FULL REGULATORY OF IDENTIFYING INFORMATION)				ID PREFIX TAG	PROVIDER'S PLAN OF CORRE CORRECTIVE ACTION SH CROSS-REFERENCED TO THE	OULD BE	(X5) COMPLETE DATE
F 0689	Continued from page 10			F 0689			
SS=D	available for help. Interview with Employee E1, Nursing Home Administrator, on May 31, 2023, at 2:04 p.m.,						
	stated resident was on	-					
	turning, incontinence care, toileting, moving up						
	bed due to combative b						
	talked to Employee E2 became combative and	-	e resident				
	Administrator also stat		ave				
	2-person assistance du						
	28 Pa. Code 211.12(d)	(1) Nursing services					
	28 Pa. Code 211.12(d)	(1)(5) Nursing service	ces				
	28 Pa. Code 211.10(d) Resident care policie		es				
F 0759				F 0759			
SS=D							

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 11 of 33

PLAN OF CORRECTION (POC) (X1) PROVIDERSUPPLIERCLIA IDENTIFICATION NUMBER: 396076			I \ '			EY	
MONUME WOODSIE	VIDER OR SUPPLIER: ENTAL POST ACUTE CAR DE PARK SE NUMBER: 041402	RE AT	STREET ADDRESS 4001 FORD R PHILADELP	ROAD			
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDE	OF DEFICIENCIES (EACH DE ED BY FULL REGULATORY O FYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SH CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0759 SS=D	Continued from page 11 483.45(f)(1) Free of Medica §483.45(f) Medication Erro The facility must ensure tha §483.45(f)(1) Medication er greater; This REQUIREMENT is no	rs. t its- cror rates are not 5 perce		F 0759	A med error incident was co for R54 and there were no acreactions. Employee E5 will receive individualized education reg medication administration fr staff developer. Staff developer or designeer conduct random med passes units weekly for 3 weeks the annually thereafter. Staff developer or designeer in-service licensed nurses or medication administration puthe importance to the 10 right Results will be reported in mQAPI	garding rom the will on all en will in the olicy and ints.	Completion Date: 07/07/2023 Status: APPROVED Date: 06/23/2023

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 12 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/ IDENTIFICATION NUMBER 200076			(X2) MULTIPLE CONSTRUCTION: A. BLDG:00 B. WING:		(X3) DATE SURVEY COMPLETED: 06/02/2023		
		396076		B. WING.		00/02/2023	
MONUME WOODSID	VIDER OR SUPPLIER: NTAL POST ACUTE CAR IE PARK E NUMBER: 041402	RE AT	STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID		OF DEFICIENCIES (EACH DE	FICIENCY	ID	PROVIDER'S PLAN OF CORREC	CTION (FACH	(X5)
PREFIX TAG	MUST BE PRECEEDE	ED BY FULL REGULATORY OF FYING INFORMATION)		PREFIX TAG	CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE A	OULD BE	COMPLETE DATE
F 0759	Continued from page 12			F 0759			
SS=D							
	Based on observations,						
	and interviews with fac	•					
	that the facility failed to						
	medication error rate o	f five percent or great	ater.				
	Findings include:						
	Observation during the	medication adminis	stration on				
	May 31, 2023 at 9:14 a						
	medication administrat		e during				
	27 medication opportu		•				
	medication error rate o	-					
	Review of Resident R5	34's physician order	revealed				
	an order dated May 30,						
	Oral Tablet 500 millign		blet by				
	mouth, one time a day	for wound healing.					
	Observation conducted	•					
	a.m., of Licensed nurse		ninistering				
	medications to Residen						
	Employee E5 adminste						
	Tablet 250 mg and not	500 mg as ordered l	by the				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 13 of 33

	STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/IDENTIFICATION NUMBER 396076				PLE CONSTRUCTION:	(X3) DATE SURVEY COMPLETED: 06/02/2023	
MONUME WOODSID	VIDER OR SUPPLIER: NTAL POST ACUTE CAR DE PARK SE NUMBER: 041402		STREET ADDRESS, 4001 FORD R PHILADELP	OAD			
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDE IDENTI		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SHE CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE	
F 0759 SS=D	physician to Resident II Review of Resident RS an order dated May 26 Tablet 8.6 mg (Sennos every 12 hours for con Observation conducted a.m., with Licensed nu that Employee E5, adm which contains the ing mg, and Sennosides 8.0 At the time of the obse Licensed nurse, Emplo findings. 28 Pa Code 211.10(d) 28 Pa Code 211.12(d)(64's physician order in 2023, for Senna Ordides), give 1 tablet bestipation. I on May 31, 2023, and arse, Employee E5, reministered Senna Pluredients Docusate Soforms to Resident R5 rvation, interviewed yee E5 confirmed the Resident care policies.	al y mouth, at 9:14 evealed s tablet odium 50 4. with he above	F 0759			

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 14 of 33

		(XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER: 396076		(X2) MULTIPLE CONSTRUCTION: A. BLDG:00 B. WING:		(X3) DATE SURVEY COMPLETED: 06/02/2023				
NAME OF PRO	VIDER OR SUPPLIER:		STREET ADDRESS, CITY, STATE, ZIP CODE:							
MONUME	ENTAL POST ACUTE CAR	RE AT	4001 FORD ROAD							
WOODSII	DE PARK		PHILADELPI	HIA, PA 19	131					
STATE LICENS	SE NUMBER: 041402									
(X4) ID		OF DEFICIENCIES (EACH DE		ID	PROVIDER'S PLAN OF CORRE	CTION (EACH	(X5)			
PREFIX TAG	MUST BE PRECEEDED BY FULL REGULATORY O		R LSC	PREFIX TAG	CORRECTIVE ACTION SH		COMPLETE DATE			
IAG	IDENTIFYING INFORMATION)				CROSS-REFERENCED TO THE	APPROPRIATE	DATE			
F 0759	Continued from page 14		F 0759							
				1 0.00						
SS=D										
	Pa Code:211.12(d)(1)(2)(5) Nursing Service	es							
F 0814	483.60(i)(4) Dispose Garba	ge and Refuse Properly		F 0814			Completion			
					The trash has been picked up	p by	Date:			
SS=D	§483.60(i)(4)- Dispose of ga	arbage and refuse proper	rly.		Mascaro and sons effective :	5/31/23	07/07/2023			
							Status:			
	This REQUIREMENT is no	ot met as evidenced by:			The administrator or designed	ee will	APPROVED			
					review pick up days with Ma	ascaro	Date:			
					and sons to ensure timelines	s and	06/23/2023			
					appropriate frequency of pic	kups.				
					Staff developer or designee	will				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 15 of 33

complete in servicing for dietary, housekeeping and maintenance on the importance of keeping the dumpster lid closed and the dumpster area clean a free of debris

The Housekeeping Director or designee will conduct environmental rounds weekly to ensure proper protocols being followed.

Results will be reported in monthly QAPI after initial round date

					(X3) DATE SURVE COMPLETED:	EY
	396076				06/02/2023	
DE PARK	RE AT	4001 FORD R	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH D			ID PREFIX TAG	CORRECTIVE ACTION SH	OULD BE	(X5) COMPLETE DATE
was determined that the garbage and refuse was Findings Include: An initial tour of the Foconducted on May 30, Food Service Director revealed the following area: The trash compactor we trash inside to open air. The trash compactor we overflowing with trash floor surrounding the detrash compactor was oppallets observed behind. Further observation revebroken bed frame, dress	e facility did not ensist disposed of properly cood Service Departm 2023, at 9:43 a.m. w (FSD), Employee E concerns in the dumber of the lids open, exposit and possible pest in the associated as observed to be bags, with plastic word the dumpster. The gate been, and broken wood the dumpster.	nent vith 10, apster ng the festation. Trap on the ehind the od attress, a hanger,	F 0814			
		_				
	VIDER OR SUPPLIER: NTAL POST ACUTE CARE E PARK E NUMBER: 041402 SUMMARY STATEMENT MUST BE PRECEDED IDENTE Continued from page 15 Based on observations was determined that th garbage and refuse was Findings Include: An initial tour of the Fe conducted on May 30, Food Service Director revealed the following area: The trash compactor w trash inside to open air The trash compactor w overflowing with trash floor surrounding the d trash compactor was of pallets observed behind Further observation rev broken bed frame, dres	SUMMARY STATEMENT OF DEFICIENCIES (EACH DE MUST BE PRECEDED BY FULL REGULATORY OF IDENTIFYING INFORMATION) Continued from page 15 Based on observations and an interview wi was determined that the facility did not ens garbage and refuse was disposed of propertion of the Food Service Department conducted on May 30, 2023, at 9:43 a.m. we Food Service Director (FSD), Employee E revealed the following concerns in the dum area: The trash compactor with lids open, exposit trash inside to open air and possible pest in The trash compactor was observed to be overflowing with trash bags, with plastic we floor surrounding the dumpster. The gate be trash compactor was open, and broken woo pallets observed behind the dumpster. Further observation revealed four ripped me broken bed frame, dresser, broken laundry	IDENTIFICATION NUMBER: 396076 VIDER OR SUPPLIER: NTAL POST ACUTE CARE AT EP PARK ENUMBER: 041402 SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) Continued from page 15 Based on observations and an interview with staff, it was determined that the facility did not ensure that garbage and refuse was disposed of properly. Findings Include: An initial tour of the Food Service Department conducted on May 30, 2023, at 9:43 a.m. with Food Service Director (FSD), Employee E10, revealed the following concerns in the dumpster area: The trash compactor with lids open, exposing the trash inside to open air and possible pest infestation. The trash compactor was observed to be overflowing with trash bags, with plastic wrap on the floor surrounding the dumpster. The gate behind the trash compactor was open, and broken wood	IDENTIFICATION NUMBER: 396076 STREET ADDRESS, CITY, STATE, 2 4001 FORD ROAD PHILADELPHIA, PA 19 SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) Continued from page 15 F 0814 Based on observations and an interview with staff, it was determined that the facility did not ensure that garbage and refuse was disposed of properly. Findings Include: An initial tour of the Food Service Department conducted on May 30, 2023, at 9:43 a.m. with Food Service Director (FSD), Employee E10, revealed the following concerns in the dumpster area: The trash compactor with lids open, exposing the trash inside to open air and possible pest infestation. The trash compactor was observed to be overflowing with trash bags, with plastic wrap on the floor surrounding the dumpster. The gate behind the trash compactor was open, and broken wood pallets observed behind the dumpster. Further observation revealed four ripped mattress, a broken bed frame, dresser, broken laundry hanger,	A BLDG:	A BLDG: 90

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 16 of 33

	NT OF DEFICIENCIES AND (XI) PROVIDER/SUPPLIE CORRECTION (POC) IDENTIFICATION NUMBER			(X2) MULTIPLE CONSTRUCTION:		(X3) DATE SURVEY COMPLETED:			
	, ,				00	06/02/2023			
		396076		D. WING.		00/02/2023			
	VIDER OR SUPPLIER: NTAL POST ACUTE CAR	RE AT	STREET ADDRESS, CITY, STATE, ZIP CODE: 4001 FORD ROAD						
WOODSID		E AT	PHILADELPHIA, PA 19131						
	0.41.403								
STATE LICENS (X4) ID	E NUMBER: 041402 SUMMARY STATEMENT	OF DEFICIENCIES (EACH DE	FICIENCY	ID	DDOVIDEDIC DI AN OF CODDE	CTION (EACH	(X5)		
PREFIX	MUST BE PRECEEDE	ED BY FULL REGULATORY O		PREFIX TAG	PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SH	OULD BE	COMPLETE		
TAG	IDENTI	FYING INFORMATION)			CROSS-REFERENCED TO THE A	APPROPRIATE	DATE		
F 0814	Continued from page 16			F 0814					
SS=D									
55 B	garage wall, spread into	o the dumpster area.	The						
	area surrounding the du	-							
	under sanitary conditio	ons to prevent the ha	rborage						
	of pests.								
	Interview with the Foo	d Service Director, l	Employee						
	E10, confirmed the abo	ove-mentioned finding	ngs.						
	28 Pa. Code 201.18(b)	(3) Management							
	28 Pa. Code 207.2(a) A	Administrator's respo	onsibility						
F 0842				F 0842					
SS=D									

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 17 of 33

		(XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER		(X2) MULTIPLE CONSTRUCTION: A. BLDG:00		(X3) DATE SURVEY COMPLETED:	
		396076		B. WING: _		06/02/2023	
MONUME WOODSIE	VIDER OR SUPPLIER: ENTAL POST ACUTE CAR DE PARK SE NUMBER: 041402	RE AT	STREET ADDRESS 4001 FORD R PHILADELP	OAD			
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDE	OF DEFICIENCIES (EACH DE ED BY FULL REGULATORY O FYING INFORMATION)		ID PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE		OULD BE	(X5) COMPLETE DATE
F 0842	Continued from page 17			F 0842			
SS=D	402 20(A(5) 402 70(;)(1) (S) Dagidant Dagarda Id	antifichla				Completion
	483.20(f)(5), 483.70(i)(1)-(5) Resident Records - Ide Information		entifiable		R22's Coode status has been corrected.		Date: 07/07/2023
	§483.20(f)(5) Resident-iden (i) A facility may not releas resident-identifiable to the p (ii) The facility may release resident-identifiable to an approximately	with a		Unit managers or designee will audit all medical records to ensure the POLST match the current orders for each resident code statuses.		Status: APPROVED Date: 06/23/2023	
	contract under which the ag disclose the information exc itself is permitted to do so.	ent agrees not to use or			Unit managers or designee v POLST weekly times for 3 v then quarterly thereafter.		
	§483.70(i) Medical records. §483.70(i)(1) In accordance standards and practices, the	with accepted profession facility must maintain r			Results will be reported in n QAPI	•	
	records on each resident that are- (i) Complete; (ii) Accurately documented; (iii) Readily accessible; and (iv) Systematically organized				Staff developer or designeed In-service Nurse managers a social services on the import code status accuracy	nd	
	§483.70(i)(2) The facility m information contained in the regardless of the form or sto except when release is- (i) To the individual, or thei permitted by applicable law (ii) Required by Law; (iii) For treatment, payment permitted by and in complia	e resident's records, orage method of the record or resident representative or, or health care operatio	ords, where ns, as				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 18 of 33

	OF DEFICIENCIES AND RECTION (POC)	identification number 396076		A. BLDG: _	00	COMPLETED: 06/02/2023	5 Y
MONUME WOODSII	VIDER OR SUPPLIER: INTAL POST ACUTE CAR DE PARK SE NUMBER: 041402	E AT	STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DE MUST BE PRECEEDED BY FULL REGULATORY OF IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0842 SS=D	Continued from page 18 (iv) For public health activit or domestic violence, health and administrative proceeding organ donation purposes, recoroners, medical examiners a serious threat to health or compliance with 45 CFR 16 §483.70(i)(3) The facility minformation against loss, des §483.70(i)(4) Medical recording from the date requirement in State law; ordin (ii) Five years from the date requirement in State law; ordin (iii) For a minor, 3 years aftunder State law. §483.70(i)(5) The medical recordin formation to (ii) A record of the resident'diii) The comprehensive plantin (iv) The results of any preadreview evaluations and determined to the state; (v) Physician's, nurse's, and progress notes; and (vi) Laboratory, radiology a reports as required under §44	oversight activities, jucings, law enforcement purposes, or to s, funeral directors, and safety as permitted by a 4.512. The safeguard medical restruction, or unauthorized ds must be retained forced by State law; or of discharge when there are a resident reaches leg ecord must containidentify the resident; as assessments; an of care and services pulmission screening and arminations conducted by other licensed profession and other diagnostic services are services profession of the diagnostic services are services profession of the diagnostic services are services are services profession of the diagnostic services are services are services are services are services are services and other diagnostic services are	ticial arposes, to avert and in ecord ed use. e is no all age evolved; resident by the enal's	F 0842			

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 19 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/G IDENTIFICATION NUMBER			(X2) MULTIPLE CONSTRUCTION: (X3) DATE SURVE COMPLETED: A. BLDG:00_ B. WING: 06/02/2023		ΞY		
		396076		B. WING: _		06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK			STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
STATE LICENS	SE NUMBER: 041402						
(X4) ID PREFIX TAG	MUST BE PRECEEDE	OF DEFICIENCIES (EACH DE ED BY FULL REGULATORY OI FYING INFORMATION)		ID PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE			(X5) COMPLETE DATE
F 0842	Continued from page 19			F 0842			
SS=D	This REQUIREMENT is no	ot met as evidenced by:					

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 20 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/G IDENTIFICATION NUMBER			(X2) MULTIPLE CONSTRUCTION: (X3) DATE SURV COMPLETED: A. BLDG: 00		EΥ		
		396076		B. WING:		06/02/2023	
MONUME: WOODSID	VIDER OR SUPPLIER: NTAL POST ACUTE CAR DE PARK E NUMBER: 041402	RE AT	STREET ADDRESS, 4001 FORD RO PHILADELPI	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DI PREFIX MUST BE PRECEEDED BY FULL REGULATORY OF TAG IDENTIFYING INFORMATION)				ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SHORES CROSS-REFERENCED TO THE ACTION THE ACTION OF THE ACTION	OULD BE	(X5) COMPLETE DATE
F 0842 SS=D	Based on review of face records, and staff interest the facility failed to enaccurately reflected the one of 34 residents reverside the resident was admitted 2013, and had a diagnot (Vascular dementia is a problems with reasoning memory, and other tho brain damage from important), and Cerebrovas (Cerebrovascular diseasconditions that affect the brain. This alteration of brain's functions).	view, it was determined the POLST formed resident's code state itewed (Resident R22). When the state item is a general term described planning, judgment processes cause the planning item is a general term described planning, judgment processes caused by the planning item is a general term described item. It is a general term described item is a general term described item. It is a general term described item is a general term described item. It is a general term described item is a general term described item. It is a general term described item.	evealed May 15, nentia ibing ent, ed by your	F 0842			
	Review of Resident R2	22's electronic clinica	al record				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 21 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/ IDENTIFICATION NUMBER			(X2) MULTI A. BLDG: _	PLE CONSTRUCTION:	(X3) DATE SURVE COMPLETED:	EY	
		396076			<u></u>	06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH D PREFIX MUST BE PRECEEDED BY FULL REGULATORY (IDENTIFYING INFORMATION)				ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SHE CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0842 SS=D	revealed a physician or that specified the reside Resuscitate (DNR - all found with no pulse and Review of Resident R2 revealed a form, Physic Sustaining Treatment (by the physician on Deindicated the resident's "CPR/Attempt Resuscitation (CPR) is consisting of chest compared with artificial ventilation preserve intact brain for are taken to restore speciand breathing in a persisting of the Polst reflect the physician or Resident R22's electron Resident R22's electron	ent's code status was ow natural death if r d is not breathing). 22's physical clinical cian Orders for Life POLST), dated and cember 23, 2016, the code status was a station" (Cardiopulm an emergency procent pressions often component in an effort to maintain until further intended in the cardiace on who is in cardiace that Manager, Registers on June 1, 2023, at 9 form did not accurate der for code status of the code status of	record record signed at onary edure abined aually measures ulation arrest). ed Nurse ::59 a.m.	F 0842			

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 22 of 33

				_					
	OF DEFICIENCIES AND RRECTION (POC)	(XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER 396076		(X2) MULTI A. BLDG: _ B. WING: _		(X3) DATE SURV COMPLETED: 06/02/2023	EY		
	OVIDER OR SUPPLIER: ENTAL POST ACUTE CAR DE PARK	RE AT	STREET ADDRESS, CITY, STATE, ZIP CODE: 4001 FORD ROAD PHILADELPHIA, PA 19131						
STATE LICENS	SE NUMBER: 041402								
(X4) ID PREFIX TAG	MUST BE PRECEEDI	OF DEFICIENCIES (EACH DE ED BY FULL REGULATORY O FYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SH CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE		
F 0842	Continued from page 22			F 0842					
SS=D	28 Pa Code 211.10(d) 28 Pa Code 211.12(d)(-							
F 0880	483.80(a)(1)(2)(4)(e)(f) Info	ection Prevention & Cor	ntrol	F 0880	Water management Program	has	Completion Date:		
SS=D	§483.80 Infection Control The facility must establish and maintain an infection prevention and control program designed to provide sanitary and comfortable environment and to help prothed the development and transmission of communicable diseases and infections. §483.80(a) Infection prevention and control program The facility must establish an infection prevention are control program (IPCP) that must include, at a mining following elements: §483.80(a)(1) A system for preventing, identifying, reporting, investigating, and controlling infections are communicable diseases for all residents, staff, volunt visitors, and other individuals providing services und contractual arrangement based upon the facility assessment conducted according to §483.70(e) and following accepted national standards;		e a safe, revent e n. and mum, the		been established and is on fi facility. The Maintenance Director or designee will conduct annual legionella testing at several valocations in the facility. The Maintenance Director or Designee will record results testing for facility records. NHA or Designee will condustervice with maintenance do no importance of keeping up routine testing as recommendation. Initial testing results will be on monthly QAPI	r I water r of water uct in irector o with ded.	07/07/2023 Status: APPROVED Date: 06/23/2023		

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 23 of 33

§483.80(a)(2) Written standards, policies, and procedures for the program, which must include, but are not limited to:

	OF DEFICIENCIES AND RECTION (POC)	identification number 396076		A. BLDG: _	00	(A3) DATE SURVEY COMPLETED: 06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402			STREET ADDRESS 4001 FORD R PHILADELP	OAD			
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDE	OF DEFICIENCIES (EACH DE D BY FULL REGULATORY O FYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0880 SS=D	(i) A system of surveillance communicable diseases or infections before they can spacifications before they can spacifications before they can spacificately; (ii) When and to whom possions disease or infections should (iii) Standard and transmissing followed to prevent spread of (iv) When and how isolation including but not limited to: (A) The type and duration of the infectious agent or organ (B) A requirement that the infectious agent or organ (B) A requirement that the infective possible for the recircumstances. (v) The circumstances under prohibit employees with a confected skin lesions from different contact (vi) The hand hygiene proceed involved in direct resident contact (vi) The facility. §483.80(a)(4) A system for under the facility's IPCP and the facility. §483.80(e) Linens. Personnel must handle, stores of as to prevent the spread of the system of the system of the spread of the system of the system of the system of the facility.	bread to other persons in be reported; on-based precautions to of infections; should be used for a result of the isolation, depending its involved, and solation should be the lessident under the rewhich the facility must ommunicable disease or irect contact with reside will transmit the disease dures to be followed by ontact.	n the unicable b be sident; ng upon east t t nts or ; and staff	F 0880			

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 24 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/ IDENTIFICATION NUMBER				PLE CONSTRUCTION: 00	(X3) DATE SURVE COMPLETED:	EY			
		396076		B. WING:		06/02/2023			
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK			STREET ADDRESS, CITY, STATE, ZIP CODE: 4001 FORD ROAD PHILADELPHIA, PA 19131						
STATE LICENS	E NUMBER: 041402								
(X4) ID PREFIX TAG	MUST BE PRECEEDE	OF DEFICIENCIES (EACH DE ED BY FULL REGULATORY OF FYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRE CORRECTIVE ACTION SH CROSS-REFERENCED TO THE .	OULD BE	(X5) COMPLETE DATE		
F 0880	Continued from page 24			F 0880					
SS=D	§483.80(f) Annual review. The facility will conduct an update their program, as nec		CP and						
	This REQUIREMENT is no	ot met as evidenced by:							

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 25 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)		(XI) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTI	PLE CONSTRUCTION:	(X3) DATE SURVEY COMPLETED:	
		396076			00	06/02/2023	
MONUME WOODSII	VIDER OR SUPPLIER: ENTAL POST ACUTE CAR DE PARK SE NUMBER: 041402	RE AT	STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID PREFIX TAG	PREFIX MUST BE PRECEEDED BY FULL REGULATORY O			ID PREFIX TAG	PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SH CROSS-REFERENCED TO THE A	IOULD BE	(X5) COMPLETE DATE
F 0880	Continued from page 25			F 0880			
SS=D	Based on observation, interviews, it was deter to develop and implem Program for the prever of water-borne contam bacteria that may cause serious type of pneumor Findings include: Review of Centers for Prevention (CDC) guid Management in Health "Legionella water man hazardous conditions a minimize the growth a building water systems program is now an indibuildings in the United Review of Department services, Centers for Management (CMS) memore	mined that the faciliant water Management ion, detection, and inants, such as Legic Legionnaires' Disease Control and delines for "Water care Facilities" reveagement programs in include taking stend spread of Legiones. Having a water maustry standard for land States."	aled dentify eps to ella in inagement rge				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 26 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)		(XI) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION:		(X3) DATE SURVEY COMPLETED:	
	, ,				00	06/02/2022	
		396076		B. WING: _		06/02/2023	
MONUME WOODSID	VIDER OR SUPPLIER: NTAL POST ACUTE CAR DE PARK E NUMBER: 041402	RE AT	STREET ADDRESS, 4001 FORD R PHILADELPI	OAD			
(X4) ID		OF DEFICIENCIES (EACH DE	FICIENCY	ID	PROVIDER'S PLAN OF CORRE	CTION (EACH	(X5)
PREFIX TAG	MUST BE PRECEEDE	ED BY FULL REGULATORY OF		PREFIX TAG	CORRECTIVE ACTION SH CROSS-REFERENCED TO THE	OULD BE	COMPLETE DATE
F 0880	Continued from page 26			F 0880			
SS=D							
	Legionella Risk in Hea	•					
	Systems to Prevent Cas						
	Legionnaires' Disease	•					
	revealed, "Facilities mu						
	policies and procedure		U				
	in building water system		ISK OI				
	growth and spread of I	•					
	opportunistic pathogen	•	-				
	memorandum applies t	•					
	Hospitals (CAHs) and	- ,	•				
	However, this policy m						
	to provide general awa		care				
	organizations. Facilitie		at a				
	management plans and		, at a				
	minimum, ensure each	racility.					
	o Conducts a facility r	isk assessment to ide	entify				
	where Legionella and o	other opportunistic					
	waterborne pathogens	(e.g. Pseudomonas,					
	Acinetobacter, Burkho	lderia, Stenotrophon	nonas,				
	nontuberculous mycob	acteria, and fungi) c	ould grow				
	and spread in the facili	ty water system.					
	o Develops and implen	nents a water manag	ement				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 27 of 33

PLAN OF CORRECTION (POC) IDENTIFICATION		(XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER				(X3) DATE SURVEY COMPLETED: 06/02/2023	
	VIDER OR SUPPLIER: NTAL POST ACUTE CAR DE PARK	396076 RE AT	STREET ADDRESS, 4001 FORD R PHILADELPI	CITY, STATE, Z	MP CODE:	00/02/2020	
STATE LICENS	E NUMBER: 041402						
(X4) ID PREFIX TAG	SUMMARY STATEMENT MUST BE PRECEEDI IDENTI		ID PREFIX TAG	PROVIDER'S PLAN OF CORRE CORRECTIVE ACTION SH CROSS-REFERENCED TO THE	OULD BE	(X5) COMPLETE DATE	
F 0880	Continued from page 27			F 0880			
SS=D	program that considers	the ASHRAE indus	stry				
	standard and the CDC	toolkit.					
	o Specifies testing prot	tocols and acceptable	e ranges				
	for control measures, a	and document the res	sults of				
	testing and corrective a	ontrol					
	limits are not maintain	ed.					
	o Maintains complianc	ble					
	Federal, State and loca	l requirements."					
	Review of facility "Wa	•	•				
	developed on May 15,		•				
	and Verification Plan":	•	Legionella				
	culture test, Control M						
	Frequency: Quarterly of	on a rotation basis.					
	A request was made to testing log for monitor according to the facility documented evidece presented in testing or monitoring prequired.	ing/prevention of leg y protocol. There wa rovided related to the	gionella as no e facility				
	During interviews with	the Home Adminis	trator				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 28 of 33

		(XI) PROVIDER/SUPPLIER/C IDENTIFICATION NUMBER		(X2) MULTIPLE CONSTRUCTION: A. BLDG: 00		(X3) DATE SURVEY COMPLETED:	
		396076		B. WING:		06/02/2023	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402		STREET ADDRESS, 4001 FORD R PHILADELPI	OAD				
(X4) ID PREFIX TAG	PREFIX MUST BE PRECEEDED BY FULL REGULATORY O			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE		(X5) COMPLETE DATE
F 0880 SS=D	Continued from page 28 (NHA) on June 1, 2023 that the facility did not legionella growth as re 28 Pa. Code 211.12(d)	test or monitor pote quired.	ntial	F 0880			
F 0883 SS=D				F 0883			

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 29 of 33

STATEMENT OF DEFICIENCIES AND (XI) PROVIDER/SUPPLIER/ PLAN OF CORRECTION (POC) IDENTIFICATION NUMBER				PLE CONSTRUCTION:	(X3) DATE SURV COMPLETED:	(X3) DATE SURVEY COMPLETED:	
		396076		A. BLDG: _ B. WING: _	06/02/2023		
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK			STREET ADDRESS, 4001 FORD ROPHILADELPH	OAD			
STATE LICENSE NUMBER: 041402 (X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DE PREFIX MUST BE PRECEEDED BY FULL REGULATORY O IDENTIFYING INFORMATION)				ID PREFIX TAG	PROVIDER'S PLAN OF CORREC CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0883	Continued from page 29			F 0883			
SS=D	,				R129, R132, and R102 will be the pneumococcal vaccine unis contraindicated. DON or designee will condust Immunizations audit for all residents to determine who needs a vaccine unless it is contraindicated publication. Administration and refusals recorded in the medical recorded in the medical recorded in the serving with nursual ministration on the import offering Pneumococcal vaccine on adand documenting in the med record. DON or designee will condust immunization audits quarterly Results will be report in mor QAPI	nless it act an residents ccine. ALL vaccine er will be rd. will sing ance of Imission ical	Completion Date: 07/07/2023 Status: APPROVED Date: 06/23/2023

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 30 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)		(XI) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION:		(X3) DATE SURVEY COMPLETED:	
		396076			00	06/02/2023	
MONUME WOODSID		RE AT	STREET ADDRESS, 4001 FORD RO PHILADELPI	OAD			
STATE LICENSE NUMBER: 041402 (X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DE PREFIX MUST BE PRECEEDED BY FULL REGULATORY O IDENTIFYING INFORMATION)		ED BY FULL REGULATORY OF		ID PREFIX TAG	PROVIDER'S PLAN OF CORRE CORRECTIVE ACTION SH CROSS-REFERENCED TO THE	IOULD BE	(X5) COMPLETE DATE
F 0883 SS=D	Continued from page 30 (ii) Each resident is offered a pneumococcal immunization, unless the immunization is medically contraindicated or the resident has already been immunized; (iii) The resident or the resident's representative has the opportunity to refuse immunization; and (iv)The resident's medical record includes documentation that indicates, at a minimum, the following: (A) That the resident or resident's representative was provided education regarding the benefits and potential side effects of pneumococcal immunization; and (B) That the resident either received the pneumococcal immunization or did not receive the pneumococcal immunization due to medical contraindication or refusal. This REQUIREMENT is not met as evidenced by:		the tation s tial	F 0883			

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 31 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)		(XI) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION: A. BLDG: 00		(X3) DATE SURVEY COMPLETED:	
		396076		B. WING:		06/02/2023	
MONUME: WOODSID	VIDER OR SUPPLIER: NTAL POST ACUTE CAR E PARK E NUMBER: 041402	EE AT	STREET ADDRESS, 4001 FORD RO PHILADELPH	OAD			
(X4) ID SUMMARY STATEMENT OF DEFICIENCIES (EACH DE				ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SHORES CROSS-REFERENCED TO THE A	OULD BE	(X5) COMPLETE DATE
F 0883	Continued from page 31			F 0883			
SS=D	,		R129 acility on 29's e that the e, or the R32 acility on zation ent facility				

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 32 of 33

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC) (XI) PROVIDER/SUPPLIER/CI IDENTIFICATION NUMBER: 396076			A. BLDG: _	PLE CONSTRUCTION: 00	(X3) DATE SURVE COMPLETED: 06/02/2023	ΞY	
NAME OF PROVIDER OR SUPPLIER: MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK STATE LICENSE NUMBER: 041402		STREET ADDRESS, 4001 FORD RO PHILADELPH	OAD				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE		(X5) COMPLETE DATE
F 0883 SS=D	revealed the resident w August 19, 2021. Revierecords revealed no ever received the pneumococoffered the pneumocococoffered the pneumocococococococococococococococococococ	ew of R102's immurated acceleration with the residence that the residence of the eccal vaccine, or the eccal vaccine. (a) Responsibility of the eccal vaccine of the eccal vaccine.	ncility on nization ent facility	F 0883			

CMS-2567L HWJ011 IF CONTINUATION SHEET Page 33 of 33



Certified End Page

MONUMENTAL POST ACUTE CARE AT WOODSIDE PARK

STATE LICENSE NUMBER: 041402 SURVEY EXIT DATE: 06/02/2023

I Certify This Document to be a True and Correct Statement of Deficiencies and Approved Facility Plan of Correction for the Above-Identified Facility Survey

Jeane Parisi

Deputy Secretary for Quality Assurance

fearre Janie

Debra L. Bogn MD

Debra L. Bogen, MD, FAAP Acting Secretary of Health



THIS IS A CERTIFICATION PAGE

PLEASE DO NOT DETACH

THIS PAGE IS NOW PART OF THIS SURVEY